

## Security considerations

### Announcements:

- ◆ Pls check the appearance and the unit functions before install the unit.
- ◆ Don't shorten or extend the GPS antenna, it will lead to the antenna problem.
- ◆ Don't make the GPS antenna winding the steering wheel and shift lever, it will be dangerous.

### Warm prompt

**1. Don't use strong chemicals, cleaning agents, strong detergent to washing the machine**

**2. Please use a clean soft fabric to wipe the screen, don't use ordinary fabric**

**3. Please use the touch screen pen to operation unit, please don't use other sharp objects, or it will damage to the screen**

**4. Please don't self-service, maintenance or install the unit, in case of the power is on, don't install or repair the unit. It is very dangerous if the person who did not receive the electronic equipment or vehicle installation training or lack of experienced personnel to install and repair the unit.**

**5. Please protect the original display when the staff dismantling the original CD and keep the original CD, try to use the original screw.**

**6. Navigation and rearview camera only do auxiliary function, it can't replace your attention and judgment.**

**7. When the customer choose the digital TV, our unit could realized the digital TV touch.**

The publicity material only for reference, we don't make the further notice if the information have any changes, our company has the final explanation right!

## Installation Instruction and Things to Note

### Audi Q3 GPS navigation & Audio System



## Installation procedure



1.The original center console



2.Dismantling airout of air condition and take out



3.Dismantling the screws of screen



4.Take original screen and take out plug



5.Using the CD key to dismantle CD player and take out plug



6.Dismantling the panel of air condition



7.Taking out the CAN plug of the air condition pane, then connect to the CAN cable of the power line.

①

## Installation procedure



8.Connect our power adapter cable to original CD power plug



9.Connect the host plug correctly and fix the host well



10.Install the external mic at A driving area



11.Arrange the cables of the screen well on the center console board and reset the original CD



12. reset the air condition panel



13.Install the screen, insert the cable plug and tighten the screws



14.Reset the air condition vent panel.

②

## Installation procedure



16.Installation Photo

The original sound and interface switchover to our unit sound and interface each other.

Our unit sound come from the original loudspeaker.



1. Start the AUX function on original CD interface, click the "MEDIA" to switchover the original radio sound, CD sound to our unit radio sound, CD sound.

③

## Installation procedure

The GPS sound come from the front left speaker when the original radio/CD function on.



Turn to radio or CD function, click the touch screen for 3 second into navigation (or press the NAVI button the steering wheel), then the GPS sound come from the front speaker when the original radio, CD function on.

The original interface switch to our unit interface each other.

1. Tap the touchscreen to access new aftermarket interface.

2. Click the "Car-info" icon on the home menu to access the original CD or radio function.

④